

All India Council for Technical Education

(A Statutory body under Ministry of HRD, Govt. of India)

Nelson Mandela MargVasant Kunj, New Delhi-110067 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 <u>www.aicte-India.org</u>

F.No. Eastern/1-3324316952/2017/EOA

Date: 30-Mar-2017

Τo,

The Secretary (Technical education) Govt. of West Bengal, Bikash Bhawan, Room No. 602, 6th Floor Salt Lake, Kolkata-700091

Sub: Extension of approval for the academic year 2017-18

Ref: Application of the Institution for Extension of approval for the academic year 2017-18

Sir/Madam,

In terms of the provisions under the All India Council for Technical Education (Grant of Approvals for Technical Institutions) Regulations 2016 notified by the Council vide notification number F.No.AB/AICTE/REG/2016 dated 30/11/2016 and norms standards, procedures and conditions prescribed by the Council from time to time, I am directed to convey the approval to

Permanent Id	1-14482661	Application Id	1-3324316952
Name of the Institute	GOVERNMENT COLLEGE OF ENGINEERING & CERAMIC TECHNOLOGY	Institute Address	73, ABINASH CHANDRA BANNERJEE LANE, KOLKATA-700010, WEST BENGAL, KOLKATA, KOLKATA, West Bengal, 700010
Name of the Society/Trust	GOVT. OF WEST BENGAL	Society/Trust Address	GOVT. COLLEGE OF ENGG. & CERAMIC TECHNOLOGY 73 A.C.BANERJEE LANE KOLKATA 700010,KOLKATA,KOLKATA,West Bengal,700010
Institute Type	Government	Region	Eastern

Opted for change from Women to Co-ed and Vice versa	No	Opted for change of name	No	Opted for change of site	No
Change from Women to Co-ed approved and Vice versa	Not Applicable	Change of name Approved	Not Applicable	Change of site Approved	Not Applicable
Opted for Conversion from degree to diploma	No	Opted for Conversion from diploma to degree	No	Conversion (degree to diploma or vice-a-versa) Approved	Not Applicable

To conduct following courses with the intake indicated below for the academic year 2017-18

Application ld: 1-3324316952		Course	e e	Affiliating Body	oved for	Approved for 8	al status	Gulf quota/ tatus	rarion/Twining n Approval	
Program	Shift	Level		Full/Part Time		Intake Approved 2016-17	Intake Appr 2017-18	NRI Approval status	PIO / FN / Gulf OCI/ Approval status	Foreign Collaboraric Program Ap status
ENGINEERIN G AND	1st Shift	POS T GRA	CERAMIC ENGINEERING AND	FULL TIME	Maulana Abul Kalam Azad University of	18	18	NA	NA	NA

Application Number: 1-3324316952

Note: This is a Computer generated Report.No signature is required.

Printed By : ae6513741

Page 1 of 3 Letter Printed On:8 June 2017



All India Council for Technical Education

(A Statutory body under Ministry of HRD, Govt. of India)

Nelson Mandela MargVasant Kunj, New Delhi-110067 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 <u>www.aicte-India.org</u>

TECHNOLO GY		DUA TE	TECHNOLOGY		Technology, West Bengal					
ENGINEERIN G AND TECHNOLO GY	1st Shift	POS T GRA DUA TE	INFORMATION TECHNOLOGY	FULL TIME	Maulana Abul Kalam Azad University of Technology, West Bengal	18	18	NA	NA	NA
ENGINEERIN G AND TECHNOLO GY	1st Shift	UND ER GRA DUA TE	CERAMIC ENGINEERING AND TECHNOLOGY	FULL TIME	Maulana Abul Kalam Azad University of Technology, West Bengal	40	40	NA	NA	NA
ENGINEERIN G AND TECHNOLO GY	1st Shift	UND ER GRA DUA TE	COMPUTER SCEINCE & ENGINEERING	FULL TIME	Maulana Abul Kalam Azad University of Technology, West Bengal	40	40	NA	NA	NA
ENGINEERIN G AND TECHNOLO GY	1st Shift	UND ER GRA DUA TE	INFORMATION TECHNOLOGY	FULL TIME	Maulana Abul Kalam Azad University of Technology, West Bengal	40	40	NA	NA	NA

The above mentioned approval is subject to the condition that GOVERNMENT COLLEGE OF ENGINEERING & CERAMIC TECHNOLOGY shall follow and adhere to the Regulations, guidelines and directions issued by AICTE from time to time and the undertaking / affidavit given by the institution along with the application submitted by the institution on portal.

In case of any differences in content in this Computer generated Extension of Approval Letter, the content/information as approved by the Executive Council / General Council as available on the record of AICTE shall be final and binding.

Strict compliance of Anti-Ragging Regulation:- Approval is subject to strict compliance of provisions made in AICTE Regulation notified vide F. No. 37-3/Legal/AICTE/2009 dated July 1, 2009 for Prevention and Prohibition of Ragging in Technical Institutions. In case Institution fails to take adequate steps to Prevent Ragging or fails to act in accordance with AICTE Regulation or fails to punish perpetrators or incidents of Ragging, it will be liable to take any action as defined under clause 9(4) of the said Regulation.

Note: Validity of the course details may be verified at www.aicte-india.org

Prof. A.P Mittal
Member Secretary, AICTE

Copy to:

1. The Regional Officer,

All India Council for Technical Education College of Leather Technology Campus Block LB, Sector III, Salt Lake City

Application Number: 1-3324316952

Note: This is a Computer generated Report.No signature is required.

Printed By : ae6513741

Page 2 of 3 Letter Printed On:8 June 2017



All India Council for Technical Education

(A Statutory body under Ministry of HRD, Govt. of India)

Nelson Mandela MargVasant Kunj, New Delhi-110067 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 <u>www.aicte-India.org</u>

Kolkata - 700 098, West Bengal

 The Director Of Technical Education**, West Bengal

3. The Registrar**,

Maulana Abul Kalam Azad University of Technology, West Bengal

4. The Principal / Director,

GOVERNMENT COLLEGE OF ENGINEERING & CERAMIC TECHNOLOGY 73, ABINASH CHANDRA BANNERJEE LANE, KOLKATA-700010, WEST BENGAL, KOLKATA, KOLKATA, West Bengal, 700010

5. The Secretary / Chairman,

GOVT. OF WEST BENGAL GOVT. COLLEGE OF ENGG. & CERAMIC TECHNOLOGY 73 A.C.BANERJEE LANE KOLKATA 700010, KOLKATA,KOLKATA, West Bengal,700010

6. Guard File(AICTE)

Note: ** - Approval letter copy will not be communicated through post/email. However, provision is made in the portal for downloading Approval letter through Authorized login credentials allotted to concerned DTE/Registrar.

Application Number: 1-3324316952

Note: This is a Computer generated Report.No signature is required.

Printed By : ae6513741

Page 3 of 3 Letter Printed On:8 June 2017